





QUIET FLOOR








KERMIT F L O O R

SPC FLOORING COLLECTION

STONE SPC COLLECTION



STONE XL SPC COLLECTION




KERMIT FLOOR SPC COLLECTION

STONE TECHNICAL SPECIFICATIONS

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER (mm)	UNDERLAY (IXPE) (mm)	THICKNESS (mm)
STONE			305 X 610	0,30	1.0	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m²)	PALETTE (m²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	STANDARD	UNICLIC ® PATENTED TECHNOLOGY	9 X = 1.674 m ² = 13.69 Kg	96 X =160.747 m2 =1,340.78 Kg	20 X == = = = = = = = = = = = = = = = = =	15

FLOORING MODEL	DECOR		MEASUREMENT (mm)	WEARLAYER (mm)	UNDERLAY (IXPE) (mm)	THICKNESS (mm)
STONE XL			305 X 1220	0,30	1.0	5
EDGE	SURFACE	LOCKING SYSTEM	PACKAGE (m²)	PALETTE (m²)	CONTAINER 20'	WARRANTY (Year)
MICRO BEVEL	STANDARD	UNICLIC ®	6 X =2.233 m ² =18.26 Kg	72 X = 160.747 m2 = 1,340.78 Kg	20 X == == == == == == == == == == == == =	15






STONE COLLECTION SIZE







STONE	STONE XL
5 mm	5 mm
0.30 mm	0.30 mm
PLANK	PLANK
9 pcs	6 pcs
1.674 m²	2.233 m ²
13.69 kg	18.26 kg